

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 5 | ((BIRGER) near2 (DRUGGE)).INV. | US-PGPUB; USPAT | ADJ | ON | 2009/04/01 08:40 |
| S2 | 1 | ((JOHAN) near2 (MOOD)).INV. | US-PGPUB; USPAT | ADJ | ON | 2009/04/01 08:41 |
| S3 | 7 | ((KENNETH) near2 (DOWLING)).INV. | US-PGPUB; USPAT | ADJ | ON | 2009/04/01 08:41 |
| S4 | 3 | ((SARI) near2 (LAIHONEN)).INV. | US-PGPUB; USPAT | ADJ | ON | 2009/04/01 08:41 |
| S5 | 3 | ((CARL-OLOF) near2 (OLSSON)).INV. | US-PGPUB; USPAT | ADJ | ON | 2009/04/01 08:41 |
| S6 | 13 | ((TOMMY) near2 (HOLMGREN)).INV. | US-PGPUB; USPAT | ADJ | ON | 2009/04/01 08:41 |
| S8 | 432 | 361/323.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:42 |
| S9 | 427 | 361/328.ccls. not 361/323.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:43 |
| S10 | 271 | 361/329.ccls. not 361/323,328.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:43 |
| S11 | 196 | 361/330.ccls. not 361/323,328,329.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:43 |
| S12 | 121 | 361/301.5.ccls. not 361/323,328,329,330.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:44 |
| S13 | 990 | 361/311.ccls. not 361/323,328,329,330,301.5.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:44 |

| | | | | | | |
|-----|-----|---|---|-----|-----|---------------------|
| S14 | 249 | 361/308.1.ccls. not 361/323,328,329,330.301.5,311.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:44 |
| S15 | 709 | 361/306.1.ccls. not 361/323,328,329,330.301.5,311,308.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:45 |
| S16 | 408 | 361/272.ccls. not 361/323,328,329,330.301.5,311,308.1,306.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:45 |
| S17 | 234 | 361/273.ccls. not 361/323,328,329,330.301.5,311,308.1,306.1,272.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:46 |
| S18 | 75 | 361/274.1.ccls. not 361/323,328,329,330.301.5,311,308.1,306.1,272,273.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:46 |
| S19 | 36 | 361/274.3.ccls. not 361/323,328,329,330.301.5,311,308.1,306.1,272,273,274.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:46 |
| S20 | 2 | ("1963606").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/04/01 08:47 |
| S21 | 9 | ("20020100605" "20030142457" "3670222" "5475272").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:47 |
| S22 | 231 | power near5 capacitor and (container or case or housing or casing) with (protrusion or rib or skirt or flange) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:49 |
| S23 | 7 | ("3014167" "3891901" "4320437" "5475272" "5625527").PN. OR ("6894886").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 08:51 |
| S24 | 344 | high near3 voltage and capacitor and (container or case or housing or casing) with (protrusion or rib or skirt or flange) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:54 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S25 | 191 | high near3 voltage same capacitor and (container or case or housing or casing) with (protrusion or rib or skirt or flange) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:54 |
| S26 | 153 | S24 not S25 | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 08:59 |
| S29 | 11 | ("20020179890" "20030006738" "20030133255" "2186842" "3854196" "4228481" "6249423" "6585917").PN. OR ("7170738").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 09:05 |
| S30 | 10 | ("20020179890" "20030006738" "20030133255" "2186842" "3854196" "4228481" "6249423" "6585917" "7170738").PN. OR ("7489496").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 09:05 |
| S31 | 4 | ("2186842").URPN. | USPAT | ADJ | ON | 2009/04/01 09:06 |
| S32 | 4 | ("2186842").URPN. | USPAT | ADJ | ON | 2009/04/01 09:06 |
| S33 | 6 | ("20020179890" "2186842" "4228481" "6585917" "7170738").PN. OR ("7483257").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 09:06 |
| S34 | 0 | ("1738314").URPN. | USPAT | ADJ | ON | 2009/04/01 09:11 |
| S35 | 1567 | 29/25.42.ccls. not 361/323,328,329,330.301.5,311,308.1,306.1,272,273,274.1,274.3.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 09:27 |
| S36 | 7 | ("4709303" "4939468" "5417312" "6152970" "6233135" "6310756" "6334879").PN. OR ("7325285").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 09:36 |
| S40 | 28 | ("4100588" "4729053" "4816959" "4851955" "4930039" "5041164" "5113306" "5210676" "5291366" "5326804" "5363266" "5497138" "5594613" "5608597" "5625523" "5680289" "5695841" "5708555" "5712757" "5757604" "5818677" "5830405" "5896266" "5912611" "5936824" "5936825" "5936826" "6008975").PN. OR ("6657128").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 10:43 |
| S41 | 22 | (US-20070242413-\$ or US-20030142457-\$ or US-20020100605-\$ or US-20070183119-\$).did. or (US-6894886-\$ or US-4276578-\$ or US-5684665-\$ or US-4476513-\$ or US-4363069-\$ or US-3673305-\$ or US-7489496-\$ or US-7483257-\$ or US-7170738-\$ or US-1738314-\$ or US-7325285-\$ or US-3967051-\$ or US-3429020-\$ or US-6657128-\$ or US-5936825-\$ or US-5497138-\$).did. or (US-1963606-\$ or US-2186842-\$).did. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/04/01 11:41 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S42 | 14 | S41 and (heat\$4 or cool\$4 or thermal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 11:42 |
| S43 | 32 | high near3 voltage same capacitor and (container or case or housing or casing) with (fin) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 13:12 |
| S44 | 98 | power near5 capacitor and (container or case or housing or casing) with (fin) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 13:12 |
| S45 | 231 | power near5 capacitor and (container or case or housing or casing) with (protrusion or rib or skirt or flange) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 13:20 |
| S46 | 344 | high near3 voltage and capacitor and (container or case or housing or casing) with (protrusion or rib or skirt or flange) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 13:20 |
| S47 | 154 | (high near3 voltage or power) near4 capacitor.ab.ti. and (container or case or housing or casing) with (protrusion or rib or skirt or flange or fin) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 13:21 |
| S48 | 112 | S47 not (S44 or S43 or S46 or S45) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/01 13:21 |
| S49 | 1 | 2005-506396.NRAN. | DERWENT | ADJ | ON | 2009/04/01 13:23 |
| S64 | 27 | (US-20070242413-\$ or US-20030142457-\$ or US-20020100605-\$ or US-20070183119-\$ or US-20050264978-\$).did. or (US-6894886-\$ or US-4276578-\$ or US-5684665-\$ or US-4476513-\$ or US-4363069-\$ or US-3673305-\$ or US-7489496-\$ or US-7483257-\$ or US-7170738-\$ or US-1738314-\$ or US-7325285-\$ or US-3967051-\$ or US-3429020-\$ or US-6657128-\$ or US-5936825-\$ or US-5497138-\$).did. or (US-1963606-\$ or US-2186842-\$).did. or (WO-2005059931-\$).did. or (IN-200603302-\$ or US-20070242413-\$ or CN-1894759-\$ or JP-2007515067-\$ or BR-200417845-\$ or AU-2004298715-\$ or EP-1706879-\$ or SE-526328-\$ or SE-200303482-\$ or WO-2005059931-\$).did. | US-PGPUB; USPAT; USOCR; EPO; DERWENT | ADJ | ON | 2009/04/21 11:23 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S65 | 4 | S64 and injection near4 mold\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/21 11:24 |
| S66 | 3 | power near5 capacitor and (container or case or housing or casing) with (shed) and "361". clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/21 11:27 |
| S67 | 19 | capacitor and (container or case or housing or casing) with (shed) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/21 11:28 |
| S70 | 140 | power near5 capacitor and injection near2 mold\$4 and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/21 11:32 |
| S71 | 5 | S64 and inject\$5 near4 mold\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/21 11:34 |
| S72 | 27 | (US-20070242413-\$ or US-20030142457-\$ or US-20020100605-\$ or US-20070183119-\$ or US-20050264978-\$).did. or (US-6894886-\$ or US-4276578-\$ or US-5684665-\$ or US-4476513-\$ or US-4363069-\$ or US-3673305-\$ or US-7489496-\$ or US-7483257-\$ or US-7170738-\$ or US-1738314-\$ or US-7325285-\$ or US-3967051-\$ or US-3429020-\$ or US-6657128-\$ or US-5936825-\$ or US-5497138-\$).did. or (US-1963606-\$ or US-2186842-\$). did. or (WO-2005059931-\$).did. or (IN-200603302-\$ or US-20070242413-\$ or CN-1894759-\$ or JP-2007515067-\$ or BR-200417845-\$ or AU-2004298715-\$ or EP-1706879-\$ or SE-526328-\$ or SE-200303482-\$ or WO-2005059931-\$).did. | US-PGPUB; USPAT; USOCR; EPO; DERWENT | ADJ | ON | 2009/04/27 08:35 |
| S73 | 1 | S72 and armour\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:35 |
| S74 | 13 | S72 and mechanically | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:35 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S75 | 3 | S72 and reinfo\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:36 |
| S76 | 1137 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:40 |
| S77 | 1 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and "361".clas. and armour\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:40 |
| S78 | 5 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange)and armour\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:40 |
| S79 | 1334 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange)and diffus\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:41 |
| S80 | 48 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and diffus\$4 and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:41 |
| S81 | 7 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and diffus\$4 near3 (barrier or layer) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:41 |
| S82 | 198 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and diffus\$4 near3 (barrier or layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 08:42 |
| S83 | 1 | S72 and (viscous or viscosity) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:02 |
| S84 | 250 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and (armour\$5 or reinfo\$6 or strength\$4) same (container or case or housing or casing) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:37 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S85 | 253 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and (armor\$5 or armour\$5 or reinforc\$6 or strength\$4) same (container or case or housing or casing) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:43 |
| S86 | 5 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and (armor\$5) same (container or case or housing or casing) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:43 |
| S87 | 6 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and (armor\$5 or armour\$5) same (container or case or housing or casing) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:47 |
| S88 | 42 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and (armor\$5 or armour\$5) same (container or case or housing or casing) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:48 |
| S89 | 191 | (capacitor or varistor) and (container or case or housing or casing) with (shed or protrusion or rib or skirt or flange) and (protector or protective near3 layer) same (container or case or housing or casing) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 09:49 |
| S90 | 61 | (capacitor or varistor) and (armor\$5 or armour\$5) same (container or case or housing or casing) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 10:19 |
| S91 | 114 | (capacitor or varistor) and (armor\$5 or armour\$5) same (container or case or housing or casing) and (high near3 voltage or surge near3 arrestor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 10:26 |
| S92 | 93 | (capacitor or varistor) and (armor\$5 or armour\$5) same (container or case or housing or casing) and (high voltage or surge near3 arrestor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 10:26 |
| S93 | 169 | (capacitor or varistor) and (armor\$5 or armour\$5) and "361".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2009/04/27 10:43 |

4/27/2009 11:23:25 AM

C:\Documents and Settings\dsinclair\My Documents\EAST\Workspaces\10\58\10583386.wsp